

This document was generated on 04/13/2010

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **0190340002**  
**Status:** **Active**  
**Description:** InsulKrimp™ Snap Plug, for 18-22 AWG Wire, 24.13mm (.950") Length

**Documents:**

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**Agency Certification**

CSA LR18689  
 UL E152602

**General**

Product Family Quick Disconnects  
 Series 19034  
 Crimp Quality Equipment Yes  
 Product Name InsulKrimp™  
 Type Snap Plug

**Physical**

Barrel Type Closed  
 Flammability 94V-0  
 Gender Male  
 Glow-Wire Compliant No  
 Insulation PVC  
 Lock to Mating Part None  
 Material - Metal Copper  
 Material - Plating Mating Tin  
 Material - Plating Termination Tin  
 Orientation Straight  
 Packaging Type Bag  
 Tab Thickness N/A  
 Tab Width N/A  
 Termination Interface: Style Crimp or Compression  
 Wire Insulation Diameter 3.60mm (.142") max.  
 Wire Size AWG 18, 20, 22  
 Wire Size mm² 0.35 - 0.80

**Electrical**

Voltage - Maximum 600V

**Material Info**

Old Part Number A-259X

**Reference - Drawing Numbers**

Sales Drawing SD-19034-004




image - Reference only

**EU RoHS**

**ELV and RoHS Compliant**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Reviewed**

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[19034Series](#)

**Application Tooling | FAQ**


*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Hand Crimp Tool	<a href="#">0640010100</a>
Hand Crimp Tool	<a href="#">0640010300</a>
Crimp Head for the AT-200™ Pneumatic Hand Tool	<a href="#">0640050100</a>
Crimp Head for the AT-200™ Pneumatic Hand Tool	<a href="#">0640050300</a>
Crimp Head for the AT-200™ Pneumatic Hand Tool	<a href="#">0640051200</a>

This document was generated on 04/13/2010

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**



MATERIAL: COPPER  
 .031" NOM. THICKNESS  
 FINISH: ELECTRO-TIN PLATING

MWID= MAX. WIRE INSULATION DIA.  
 PART NUMBERS ARE FOR LOOSE PIECE TO ORDER PARTS ON TAPE ADD A "T" TO END OF PART NUMBER

MATERIAL NO.	ENGR NO.	WIRE RANGE AWG	DIAMETER "D"	MAX. "L"	±.01 "B"	MWID	MIN. I.D.	INSULATION
190340002	A-259X	22-18	.180	.950	.450	.145	.056	PVC
190340005	A-269X	22-18	.156	.890	.450	.145	.056	PVC
190340007	B-279X	16-14	.180	.950	.450	.175	.084	PVC
190340009	B-289X	16-14	.156	.890	.450	.175	.084	PVC

REMOVED TAPE PARTS	EC NO: 2005/04/27	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 5:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	DRWN: LSHADECK		mm	INCH	DRAWN BY EMF	DATE 07/30/93	TITLE INSULKRIMP MALE BULLET SNAP PLUG		
	CHKDR: DEROSS		4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	CHECKED BY JM	DATE 07/30/93			
	APPR: RDEROSS		2 PLACES ± --- ± ---	1 PLACE ± --- ± ---	APPROVED BY FP	DATE 07/30/93	MATERIAL NO. SEE TABLE DOCUMENT NO. SD-19034-004 SHEET NO. 1 OF 1		
REV A	DESCRIPTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					